

katalog relé  
ke stažení  
na adrese[https://www.panasonic-electric-works.com/eu-asset/cz/downloads/sf\\_x61\\_en\\_relay\\_1060.pdf](https://www.panasonic-electric-works.com/eu-asset/cz/downloads/sf_x61_en_relay_1060.pdf)

ACJ1112	Panasonic Automotive Relay, 1 Form C, single side stable, PC board	70
ACJ1112P	Panasonic Automotive Relay, 1 Form C, single side stable, PIP	70
ACJ1212	Panasonic Automotive Relay, 1 Form C, single side stable, PC board	70
ACJ1212P	Panasonic Automotive Relay, 1 Form C, single side stable, PIP	70
ACJ2112	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin, H Bridge	40
ACJ2112P	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PIP, Twin, H Bridge	40
ACJ2212	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin, H Bridge	40
ACJ2212P	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PIP, Twin, H Bridge	40
ACJ5112	Panasonic Automotive Relay, 1 Form C x 2, single side stable, PC board, Twin	35
ACJ5112P	Panasonic Automotive Relay, 1 Form C x 2, single side stable, PIP, Twin	35
ACJ5212	Panasonic Automotive Relay, 1 Form C x 2, single side stable, PC board, Twin	35
ACJ5212P	Panasonic Automotive Relay, 1 Form C x 2, single side stable, PIP, Twin	35
ACNH3112	Panasonic Automotive Relay, 1 Form A, Single side stable, PC board, Pickup voltage 5.5V	50
ACNH3212	Panasonic Automotive Relay, 1 Form A, Single side stable, PC board, Pickup voltage 6.5V	50
ACNM1112	Panasonic Automotive Relay, 1 Form C, Single side stable, PC board	50
ACNM3112	Panasonic Automotive Relay, 1 Form A, Single side stable, PC board	50
ACNM5112	Panasonic Automotive Relay, 1 Form C, Single side stable, PIP type	50
ACNM5112SAZ	Panasonic Automotive Relay, 1 Form C, Single side stable, SMD type	200
ACNM7112	Panasonic Automotive Relay, 1 Form A, Single side stable, PIP type	50
ACNM7112SAZ	Panasonic Automotive Relay, 1 Form A, Single side stable, SMD type	200
ACT112	Panasonic Automotive Relay, 1 Form C, Single side stable, PC board	30
ACT212	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin, H Bridge	30
ACT512	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin	900
ACTP112	Panasonic Automotive Relay, 1 Form C, Single side stable, PC board, Power type	30
ACTP212	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin, H Bridge, Power type	30
ACTP512	Panasonic Automotive Relay, 1 Form C x 2, Single side stable, PC board, Twin, Power type	30
ACV11012	Panasonic Automotive Relay, 1 Form C, Single side stable, Plug in	50
ACV11112	Panasonic Automotive Relay, 1 Form C, Single side stable, Plug in, Diode	50
ACV11212	Panasonic Automotive Relay, 1 Form C, Single side stable, Plug in, Resistor	50
ACV31012	Panasonic Automotive Relay, 1 Form A, Single side stable, Plug in	50
ACV31112	Panasonic Automotive Relay, 1 Form A, Single side stable, Plug in, Diode	50
ACV31212	Panasonic Automotive Relay, 1 Form A, Single side stable, Plug in, Resistor	50
ACVN51012	Panasonic Automotive Relay, 1 Form A, Single side stable, Plug in	50
ACVN51212	Panasonic Automotive Relay, 1 Form A, Single side stable, Plug in, Resistor	50
ADJ11105	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board, Test Button	100
ADJ11106	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board, Test Button	100
ADJ11112	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board, Test Button	100
ADJ11124	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board, Test Button	100
ADJ11148	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board, Test Button	100
ADJ12005	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board	100
ADJ12006	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board	100
ADJ12012	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board	100
ADJ12024	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board	100
ADJ12048	Panasonic Power Relay, 1 Form C, 1 coil latching, PC board	100
ADJ13105	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board, Test Button	100
ADJ13106	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board, Test Button	100
ADJ13112	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board, Test Button	100
ADJ13124	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board, Test Button	100
ADJ13148	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board, Test Button	100
ADJ14005	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board	100
ADJ14006	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board	100
ADJ14012	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board	100
ADJ14024	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board	100
ADJ14048	Panasonic Power Relay, 1 Form C, 2 coil latching, PC board	100
ADJ15012	Panasonic Power Relay, 1 Form C, Single side stable, 16A; Flux resistant	100
ADJ15105	Panasonic Power Relay, 1 Form C, Single side stable, PC board, Test Button	100
ADJ15106	Panasonic Power Relay, 1 Form C, Single side stable, PC board, Test Button	100
ADJ15112	Panasonic Power Relay, 1 Form C, Single side stable, PC board, Test Button	100
ADJ15124	Panasonic Power Relay, 1 Form C, Single side stable, PC board, Test Button	100
ADJ15148	Panasonic Power Relay, 1 Form C, Single side stable, PC board, Test Button	100
ADJ16005	Panasonic Power Relay, 1 Form C, Single side stable, PC board	100
ADJ16006	Panasonic Power Relay, 1 Form C, Single side stable, PC board	100
ADJ16012	Panasonic Power Relay, 1 Form C, Single side stable, PC board	100
ADJ16024	Panasonic Power Relay, 1 Form C, Single side stable, PC board	100
ADJ16048	Panasonic Power Relay, 1 Form C, Single side stable, PC board	100
ADJ21012	Panasonic Power Relay, 1 Form A, 1 coil latching, Flux resistant, PC board	100
ADJ21105	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board, Test Button	100
ADJ21106	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board, Test Button	100
ADJ21112	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board, Test Button	100
ADJ21124	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board, Test Button	100
ADJ22005	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board	100
ADJ22006	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board	100
ADJ22012	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board	100
ADJ22024	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board	100
ADJ22048	Panasonic Power Relay, 1 Form A, 1 coil latching, PC board	100
ADJ23105	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board, Test Button	100
ADJ23106	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board, Test Button	100
ADJ23112	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board, Test Button	100
ADJ23124	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board, Test Button	100
ADJ24005	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board	100
ADJ24006	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board	100
ADJ24012	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board	100
ADJ24024	Panasonic Power Relay, 1 Form A, 2 coil latching, PC board	100
ADJ25105	Panasonic Power Relay, 1 Form A, Single side stable, PC board, Test Button	100
ADJ25106	Panasonic Power Relay, 1 Form A, Single side stable, PC board, Test Button	100
ADJ25112	Panasonic Power Relay, 1 Form A, Single side stable, PC board, Test Button	100
ADJ25124	Panasonic Power Relay, 1 Form A, Single side stable, PC board, Test Button	100
ADJ25148	Panasonic Power Relay, 1 Form A, Single side stable, PC board, Test Button	100
ADJ26005	Panasonic Power Relay, 1 Form A, Single side stable, PC board	100
ADJ26006	Panasonic Power Relay, 1 Form A, Single side stable, PC board	100
ADJ26012	Panasonic Power Relay, 1 Form A, Single side stable, PC board	100
ADJ26024	Panasonic Power Relay, 1 Form A, Single side stable, PC board	100
ADJ26048	Panasonic Power Relay, 1 Form A, Single side stable, PC board	100
ADJ35105	Panasonic Power Relay, 1 Form B, Single side stable, PC board, Test Button	100







AGQ200S12Z	Panasonic Signal Relay, 2 Form C, Single side stable, SMD	900
AGQ200S24	Panasonic Signal Relay, 2 Form C, Single side stable, SMD	50
AGQ200S24Z	Panasonic Signal Relay, 2 Form C, Single side stable, SMD	900
AGQ200S4H	Panasonic Signal Relay, 2 Form C, Single side stable, SMD	50
AGQ200S4HZ	Panasonic Signal Relay, 2 Form C, Single side stable, SMD	900
AGQ21003	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ21006	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ21009	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ21012	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ2101H	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ21024	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ2104H	Panasonic Signal Relay, 2 Form C, 1 coil latching, PC board	50
AGQ210A03	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A03Z	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210A06	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A09	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A12	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A12Z	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210A1H	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A24	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A4H	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210A4HZ	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210S03	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210S03Z	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210S12	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210S12Z	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210S1HZ	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ210S24	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210S4H	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	50
AGQ210S4HZ	Panasonic Signal Relay, 2 Form C, 1 coil latching, SMD	900
AGQ26003	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; PC board	50
AGQ26012	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; PC board	50
AGQ2604H	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; PC board	50
AGQ260A03	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260A06	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260A06Z	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	900
AGQ260A12	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260A12Z	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	900
AGQ260A24	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260A24Z	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	900
AGQ260A4H	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260S12	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260S12Z	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	900
AGQ260S24	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	50
AGQ260S24Z	Panasonic Signal Relay, 2 Form C, High sensitivity single side stable type; SMD	900
AHKA21	Panasonic Accessories, HK Relay, Socket, Screw Terminal	10
AHKA21P	Panasonic Accessories, HK Relay, Socket, Screw Terminal, Protection	10
AHN11012-X	Panasonic Power Relay, 1 Form C, Single side stable, AC Plug in	50
AHN11024-X	Panasonic Power Relay, 1 Form C, Single side stable, AC Plug in	50
AHN110X0-X	Panasonic Power Relay, 1 Form C, Single side stable, AC Plug in, X0: 100/110 V AC	50
AHN110Y2-X	Panasonic Power Relay, 1 Form C, Single side stable, AC Plug in, Y2: 220/240 V AC	50
AHN111Y2-X	Panasonic Power Relay, 1 Form C, Single side stable, AC Plug in, with LED indication, Y2: 220/240 V AC	50
AHN12012-X	Panasonic Power Relay, 1 Form C, Single side stable, DC Plug in	50
AHN12024-X	Panasonic Power Relay, 1 Form C, Single side stable, DC Plug in	50
AHN12124-X	Panasonic Power Relay, 1 Form C, Single side stable, DC Plug in, with LED indication	50
AHN12324	Panasonic Power Relay, 1 Form C, Single side stable, DC Plug in, with diode, with LED indication	50
AHN21012	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in	50
AHN21024	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in	50
AHN21112	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in, with LED indication	50
AHN21124	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in, with LED indication	50
AHN211X1	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in, X1: 110/120 V AC, with LED indication	50
AHN211Y2	Panasonic Power Relay, 2 Form C, Single side stable, AC Plug in, Y2: 220/240 V AC, with LED indication	50
AHN22012	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in	50
AHN22024	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in	50
AHN22112	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in, with LED indication	50
AHN22124	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in, with LED indication	50
AHN22148	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in, with LED indication	50
AHN22305	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in, with diode and LED indication	50
AHN22324	Panasonic Power Relay, 2 Form C, Single side stable, DC Plug in, with diode and LED indication	50
AHN350Y2-X	Panasonic Power Relay, 1 Form A, Single side stable, Direkt mount type, Y2: 220/240 V AC	50
AHN36006-X	Panasonic Power Relay, 1 Form A, single side stable, direct mount type, 6 V DC	50
AHN36024-X	Panasonic Power Relay, 1 Form A, single side stable, direkt mount type, 24 V DC	50
AHNA11	Panasonic Accessories, HN Relay, Socket, Srew terminal, DIN	10
AHNA11P	Panasonic Accessories, HN Relay, Socket, Srew terminal, DIN	10
AHNA13	Panasonic Accessories, HN1 Relay, Print Socket	10
AHNA21	Panasonic Accessories, HN2 Relay, Socket Srew terminal DIN	10
AHNA21P	Panasonic Accessories, HN2 Relay, Socket Srew terminal DIN	10
AHNA23	Panasonic Accessories, HN2 Relay, Print Socket	10
ALA2F12	Panasonic Power Relay, 2 Form A, Single side stable, PC board, Flux resistant	100
ALA2F24	Panasonic Power Relay, 2 Form A, Single side stable, PC board, Flux resistant	100
ALA2PF12	Panasonic Power Relay, 2 Form A, Single side stable, PC board, 5A TV type (TV 4), Flux resistant	100
ALA2PF24	Panasonic Power Relay, 2 Form A, Single side stable, PC board, 5A TV type (TV 4), Flux resistant	100
ALA2PF05	Panasonic Power Relay, 2 Form A, Single side stable, PC board, 5A TV type (TV 4), Flux resistant	100
ALDP105	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP105W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALDP106	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP106W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALDP109	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP109W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALDP112	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP112W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALDP118	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP118W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALDP124	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	50
ALDP124W	Panasonic Power Relay, 1 Form A, Single side stable, PC board, P: High capacity	100
ALE12B05	Panasonic Power Relay, 1 Form A (400 mW), Single side stable, TMP, B = class B coil insulation	100
ALE12B09	Panasonic Power Relay, 1 Form A (400 mW), Single side stable, TMP, B = class B coil insulation	100
ALE12B12	Panasonic Power Relay, 1 Form A (400 mW), Single side stable, TMP, B = class B coil insulation	100
ALE12B18	Panasonic Power Relay, 1 Form A (400 mW), Single side stable, TMP, B = class B coil insulation	100
ALE12B24	Panasonic Power Relay, 1 Form A (400 mW), Single side stable, TMP, B = class B coil insulation	100







AQ2A2-C1-	Panasonic Solid state relay, 1 Form A, 250V/2A AC, Zero cross, Input 5V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 5.08mm	20
AQ2A2-C2-	Panasonic Solid state relay, 1 Form A, 250V/2A AC, Non Zero cross, Input 12V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 7.62mm	20
AQ2A2-C2-	Panasonic Solid state relay, 1 Form A, 250V/2A AC, Non Zero cross, Input 5V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 7.62mm	20
AQ2A2-C2-	Panasonic Solid state relay, 1 Form A, 250V/2A AC, Zero cross, Input 5V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 7.62mm	20
AQ2AD1-	Panasonic Solid state relay, 1 Form A, 60V/2A DC, Input 3 28V, I/O=3,0kV, 4 PIN SIL	20
AQ3A2-C2-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Zero cross, Input 24V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 7.62mm	20
AQ3A2-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Random, vertical type, Input 4 32V, I/O=3,0kV, 4 PIN SIL	20
AQ3A2-C1-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Zero cross, Input 24V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 5.08mm	20
AQ3A2-C1-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Zero cross, Input 5V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 5.08mm	20
AQ3A2-C2-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Non Zero cross, Input 12V, I/O=3,0kV, 4 PIN SIL, Input terminal distance = 7.62mm	20
AQ3A2-J-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Zero cross, Input 4 32V, I/O=4,0kV, flat type	20
AQ3A2-	Panasonic Solid state relay, 1 Form A, 250V/3A AC, Zero cross, Input 4 32V, I/O=4,0kV, 4 PIN SIL	20
AQA211VL	Panasonic Solid state relay, 15A; Screw terminal; Zero cross; 4 to 32 V DC; Built in varistor and LED indication	2
AQA221VL	Panasonic Solid state relay, 15A; Screw terminal; Random; 4 to 32 V DC; Built in varistor and LED indication	2
AQA411VL	Panasonic Solid state relay, 25A; Screw terminal; Zero cross; 4 to 32 V DC; Built in varistor and LED indication	2
AQA421VL	Panasonic Solid state relay, 25A; Screw terminal; Random; 4 to 32 V DC; Built in varistor and LED indication	2
AQA611VL	Panasonic Solid state relay, 40A; Screw terminal; Zero cross; 4 to 32 V DC; Built in varistor and LED indication	2
AQA621VL	Panasonic Solid state relay, 40A; Screw terminal; Random; 4 to 32 V DC; Built in varistor and LED indication	2
AQA801	Panasonic Terminal cover for AQA Solid state relay	2
AQAD171DL	Panasonic Solid state relay, 600VDC/ 10A; Screw terminal; 4 to 32 V DC; Internal diode and LED indication	2
AQAD551DL	Panasonic Solid state relay, 100VDC/ 30A; Screw terminal; 4 to 32 V DC; Internal diode and LED indication	2
AQG12105	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Zero cross, Input=5V, I/O=3,0kV, 4 PIN SIL PC board, carton	10
AQG12112	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Zero cross, Input=12V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG12124	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Zero cross, Input=24V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG12205	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Non zero cross, Input=5V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG12212	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Non zero cross, Input=12V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG12224	Panasonic Solid state relay, 1 Form A, 75 to 264V/1A AC, Non zero cross, Input=24V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22105	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Zero cross, Input=5V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22112	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Zero cross, Input=12V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22124	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Zero cross, Input=24V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22205	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Non zero cross, Input=5V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22212	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Non zero cross, Input=12V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQG22224	Panasonic Solid state relay, 1 Form A, 75 to 264V/2A AC, Non zero cross, Input=24V, I/O=3,0kV, 4 PIN SIL PC board, carton	20
AQH0213A	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH0213AX	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH0213AZ	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH0213	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH0223A	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH0223AX	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH0223AZ	Panasonic Solid state relay, 1 Form A, 600V/0,3A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH1213A	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH1213AX	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape & reel	1000
AQH1213	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH1223A	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH1223AX	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH1223	Panasonic Solid state relay, 1 Form A, 600V/0,6A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH2213A	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH2213AX	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH2213	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH2223A	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH2223AX	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH2223	Panasonic Solid state relay, 1 Form A, 600V/0,9A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH3213A	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH3213AX	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH3213AZ	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH3213	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQH3223A	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tube packing	50
AQH3223AX	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH3223AZ	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL SMD, tape and reel	1000
AQH3223	Panasonic Solid state relay, 1 Form A, 600V/1,2A AC, Non zero cross, I/O=5,0kV, 8 PIN DIL PC board, tube packing	50
AQJ112V	Panasonic Solid state relay, 1 Form A, 75 to 264V/10A AC, Zero cross, Input 4 6V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ116V	Panasonic Solid state relay, 1 Form A, 75 to 264V/10A AC, Zero cross, Input 18 28V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ119V	Panasonic Solid state relay, 1 Form A, 75 to 264V/10A AC, Zero cross, Input 10 18V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ212V	Panasonic Solid state relay, 1 Form A, 75 to 264V/15A AC, Zero cross, Input 4 6V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ216V	Panasonic Solid state relay, 1 Form A, 75 to 264V/15A AC, Zero cross, Input 18 28V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ219V	Panasonic Solid state relay, 1 Form A, 75 to 264V/15A AC, Zero cross, Input 10 18V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ411V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Zero cross, Input 4 28V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ412V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Zero cross, Input 4 6V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ416V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Zero cross, Input 18 28V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ419V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Zero cross, Input 10 18V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ421V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Random, Input 4 28V DC, I/O=3,0kV, Plug in terminal, carton	10
AQJ422V	Panasonic Solid state relay, 1 Form A, 75 to 264V/25A AC, Random, Input 4 6V DC, I/O=3,0kV, Plug in terminal, carton	10
AQP-DPJ	Panasonic Solid state relay / AQ J / DIN rail mounting plate	5
AQP-HS-	Panasonic 30/40A Heat sink for Solid state relay/AQ N/AQR	2
AQP-HS-SJ10A	Panasonic Slim Heat sink for AQJ Solid state relay	10
AQP-HS-SJ20A	Panasonic Slim Heat sink for AQJ Solid state relay	8
AQP-HS-20A	Panasonic Heat sink, AQN(AQR) 10A/15A/20A relay	1
AQP-HS-J10A	Panasonic Heat sink for AQJ Solid state relay	10
AQP-HS-J25A	Panasonic Heat sink for AQJ Solid state relay	10
AQP-HS-N40	Panasonic Heat sink, AQN 40A relay	2
AQS221FN2S	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tube	50
AQS221FN2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221FN2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221FR2S	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/160mA, C=13pF, I/O=1,5kV, 16 PIN SOP, tube	50
AQS221FR2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/160mA, C=13pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221FR2SZ	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/160mA, C=13pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221N2S	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tube	50
AQS221N2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221N2SZ	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/60mA, C=1pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221R2S	Panasonic PhotoMOS HF Relay, 4 Form A, 40V/160mA, C=13pF, I/O=1,5kV, 16 PIN SOP, tube	50
AQS221R2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 80V/70mA, C=4,5pF, I/O=1,5kV, 16 PIN SOP, tube	50
AQS221R2SX	Panasonic PhotoMOS HF Relay, 4 Form A, 80V/70mA, C=4,5pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQS221R2SZ	Panasonic PhotoMOS HF Relay, 4 Form A, 80V/70mA, C=4,5pF, I/O=1,5kV, 16 PIN SOP, tape and reel	1000
AQV101A	Panasonic PhotoMOS Signal Relay, 1 Form A, 40V/700mA, DC only, I/O=1,5kV, 6 PIN DIL SMD, tube	50
AQV101AZ	Panasonic PhotoMOS Signal Relay, 1 Form A, 40V/700mA, DC only, I/O=1,5kV, 6 PIN DIL SMD, tape&reel	1000
AQV101	Panasonic PhotoMOS Signal Relay, 1 Form A, 40V/700mA, DC only, I/O=1,5kV, 6 PIN DIL PC board, tube	50
AQV102A	Panasonic PhotoMOS Signal Relay, 1 Form A, 60V/600mA, DC only, I/O=1,5kV, 6 PIN DIL SMD, tube	50
AQV102	Panasonic PhotoMOS Signal Relay, 1 Form A, 60V/600mA, DC only, I/O=1,5kV, 6 PIN DIL PC board, tube	50
AQV103	Panasonic PhotoMOS Signal Relay, 1 Form A, 250V/300mA, DC only, I/O=1,5kV, 6 PIN DIL PC board, tube	50
AQV104A	Panasonic PhotoMOS Signal Relay, 1 Form A, 400V/180mA, DC only, I/O=1,5kV, 6 PIN DIL SMD, tube	50





















































TXS2SA-L-6V	Panasonic Signal Relay, 2 Form C, 1 coil latching, sensitive, SMD	40
TXS2SA-L-9V	Panasonic Signal Relay, 2 Form C, 1 coil latching, sensitive, SMD	40
TXS2SA-L2-9V	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	40
TXS2SA-LT-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	40
TXS2SA-LT-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	500
TXS2SA-LT-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	40
TXS2SA-LT-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	500
TXS2SA-LT-6V-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	40
TXS2SA-LT-6V-	Panasonic Signal Relay, 2 Form C, 2 coil latching, AgPd contact (low level load), sensitive, SMD	500
TXS2SA-1.5V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-12V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-12V-Z	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	500
TXS2SA-24V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-24V-Z	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	500
TXS2SA-3V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-3V-Z	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	500
TXS2SA-4.5V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-4.5V-Z	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	500
TXS2SA-6V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-9V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SA-9V-Z	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	500
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	40
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	500
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	500
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	40
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	500
TXS2SA-L2-3V	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	40
TXS2SA-L2-3V-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	500
TXS2SA-L2-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	40
TXS2SS-4.5V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SS-4.5V-1	Panasonic Signal Relay, 2 Form C, Single side stable, AgPd contact (low level load), sensitive, SMD	40
TXS2SS-L-3V	Panasonic Signal Relay, 2 Form C, 1 coil latching, sensitive, SMD	40
TXS2SS-12V	Panasonic Signal Relay, 2 Form C, Single side stable, sensitive, SMD	40
TXS2SS-L2-3V-	Panasonic Signal Relay, 2 Form C, 2 coil latching, sensitive, SMD	500